

Trans Mountain Pipeline Published Receipt Qualities

June 8, 2026

Company: #N/A

Trans Mountain Pipeline receipt qualities for the month of :

May-26

CSY

| Month | Absolute Density Wt Avg. (kg/m3) | S&W (vol%) | Total Sulfur (wt%) | H2S (wt ppm) | VPCR ₄ (37.8°C) (kPa) | Kinematic Viscosity 1st Half Month @ Ref cSt | Kinematic Viscosity 2nd Half Month @ Ref cSt | TAN (mg KOH/g) | MCR (wt %) |
|--------|-------------------------------------|---------------|-----------------------|-----------------|-------------------------------------|---|---|-------------------|---------------|
| May-26 | 862.6 | 0.026 | 0.14 | <10 | 29 | - | - | - | <0.10 |

6 Month Historical Quality Data for Product Stream:

CSY

| Month | Absolute Density Wt Avg. (kg/m3) | S&W (vol%) | Total Sulfur (wt%) | H2S (wt ppm) | VPCR ₄ (37.8°C) (kPa) | Kinematic Viscosity 1st Half Month @ Ref cSt | Kinematic Viscosity 2nd Half Month @ Ref cSt | TAN (mg KOH/g) | MCR (wt %) |
|--------|-------------------------------------|---------------|-----------------------|-----------------|-------------------------------------|---|---|-------------------|---------------|
| Dec-25 | No Receipt | - | - | - | - | - | - | - | - |
| Jan-26 | No Receipt | - | - | - | - | - | - | - | - |
| Feb-26 | No Receipt | - | - | - | - | - | - | - | - |
| Mar-26 | 869.1 | 0.076 | 0.27 | - | - | - | - | - | 0.37 |
| Apr-26 | No Receipt | - | - | - | - | - | - | - | - |
| May-26 | 862.6 | 0.026 | 0.14 | <10 | 28.7 | - | - | - | <0.10 |

Absolute Density is a monthly weighted average calculation from individual tickets. Value on this report may not match densities on actual tickets.

S&W (ASTM D4928 and ASTM D4807) is a monthly weighted average calculated from individual ticketed values. Value on this report may not match S&W on actual tickets.

Total Sulphur (ASTM D4294) is measured monthly from composite samples.

H2S (UOP 163) is measured either monthly or quarterly from spot samples taken on receipt.

VPCR₄(37.8°C) (ASTM D6377) is measured either monthly or quarterly from spot samples taken on receipt.

Kinematic Viscosity (ASTM D7042) is measured from a spot sample every two weeks in accordance with changing Reference Temperatures.

TAN (ASTM D664) is measured monthly from composite samples.

MCR (ASTMD4530) is measured monthly from composite samples.

- Indicates No Data